

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/685956.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 10:29
S2	48	("4033332" "4102332" "4195626" "4367292" "4381788" "4474185" "4580574" "5052400" "5076281" "5270321" "5423328" "5485850" "5564429" "5577510" "5590282" "5678571" "5690691" "5752509" "5782878" "5794615" "5800337" "6090037").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 10:30
S3	2	"6662032".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 10:37
S4	35247	electrode with (bend \$3 or deform\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:12

S5	233	deformable electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:12
S6	2	deformable electrode and respiration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:12
S7	17	electrode with (bend \$3 or deform\$4) same movement and respiration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:13
S8	13	"600".clas. and respiration and capacitance same electrode same (bend \$4 or flexible or deform \$4 or twist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:18
S9	2	us-20040077934-\$. did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:20
S10	24	respiration and capacitance same electrode same (bend \$4 or flexible or deform \$4 or twist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:25
S11	25	(abdominal or torso) and capacitance same electrode same (bend \$4 or flexible or deform \$4 or twist\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 12:27
S12	147	"600".clas. and respiration and torso and belt	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 13:36

S13	29	"600".clas. and respiration and torso and belt and capacitance and electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 13:36
S14	527	600/534.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/13 13:44
S15	54	"4033332" "4102332" "4195626" "4381788" "4474185" "4526078" "4580574" "4798538" "4827943" "4883067" "5052400" "5070321" "5076281" "5267942" "5329931" "5367292" "5423328" "5485850" "5590282" "5596994" "5678571" "5690691" "5752509" "5782878" "5794615" "5800337" "5827179" "6001065" "6047203" "6050940" "6090037").PN. OR ("6662032").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/11 12:35
S16	34	600/534.ccls. and (flexible or bendable or elastic or deformable) same (electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 12:39

S17	3259	"600".clas. and (flexible or bendable or elastic or deformable) with (electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:36
S18	547	"600".clas. and (flexible or bendable or elastic or deformable) with (electrode or capacit \$6) same (base or rigid or unflexible or unbendable) with (electrode or capacit \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:37
S19	1	600/534.ccls. and (flexible or bendable or elastic or deformable) with (electrode or capacit \$6) same (base or rigid or unflexible or unbendable) with (electrode or capacit \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:38
S20	261	"600".clas. and (flexible or bendable or elastic or deformable) with (electrode or capacit \$6) same (base or rigid or unflexible or unbendable) with (electrode or capacit \$6) and (curved or curvature or radius)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:41
S21	248	600/534.ccls. and (electrode or capacit \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 13:43
S22	252	73/1.15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:21

S23	351	324/347.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:24
S24	2206	324/345-364.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:24
S25	7791	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:31
S26	1154	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex\$4 or unflex\$4 or unbend\$4 or fixed or plastic or glass or polymer or paper)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:35
S27	7713	(piezoelectric with capacitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:35
S28	88	electrode with (bend \$4 or flexible or deform \$4 or twist\$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex\$4 or unflex\$4 or unbend\$4 or fixed or plastic or glass or polymer or paper) and (electrode with curved)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 06:37

S29	132	electrode with (bend \$4 or flexible or deform \$4 or twist \$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex \$4 or unflex \$4 or unbend \$4 or fixed or plastic or glass or polymer or paper) and (deform \$6 or stress) with (mechanical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:13
S30	35	electrode with (bend \$4 or flexible or deform \$4 or twist \$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex \$4 or unflex \$4 or unbend \$4 or fixed or plastic or glass or polymer or paper) and (deform \$6 or stress) with (mechanical) and (capacitance with distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:29
S31	174	electrode with (bend \$4 or flexible or deform \$4 or twist \$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex \$4 or unflex \$4 or unbend \$4 or fixed or plastic or glass or polymer or paper) and (capacitance with distance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:31
S32	214	electrode with (bend \$4 or flexible or deform \$4 or twist \$4 or elastic) same (capacit \$6) and (dielectric or insulator) with (rigid or inflex \$4 or unflex \$4 or unbend \$4 or fixed or plastic or glass or polymer or paper) and (capacitance with (bending or stress or distance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 07:43

S33	22	("5476836" "5508255" "5613861" "5843870" "5883050" "6229684" "6361331" "6396677").PN. OR ("6625004").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 07:49
S34	99	("3646413" "3796976" "4141080" "4244722" "4480254" "4516091" "4554519" "4619001" "4692727" "4782313" "4849722" "4853660" "5075600" "5162977" "5164688" "5168249" "5258591" "5312790" "5367136" "5406233" "5467067" "5479042" "5504466" "5543765" "5568106" "5578976" "5587943" "5589845" "5607631" "5640042" "5640133" "5677823" "5696662" "5721194" "5770546" "5808527" "5818683" "5830591" "5834975" "5870007" "5870274" "5872489" "5880921" "5912472" "5912486"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 07:53

		"5914553" "5925455" "5926073" "5930165" "6057520").PN. OR ("6229684").URPN.				
S35	129	("2851618" "2927255" "2942077" "3772537" "3796976" "4317611" "4516091" "4554519" "4581624" "4598585" "4662746" "4692727" "4710732" "4736202" "4747670" "4789803" "4794370" "4826131" "4857757" "5016072" "5043043" "5051643" "5061049" "5065978" "5083857" "5097354" "5164688" "5168249" "5172262" "5179499" "5202785" "5203208" "5212582" "5233459" "5258591" "5260596" "5268696" "5278368" "5311360" "5349855" "5353656" "5367136" "5367584" "5392650" "5408355" "5408877" "5441597" "5479042" "5488863"	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 07:58

"5492596"
"5496436"
"5507911"
"5515724"
"5530342"
"5535902"
"5536988"
"5543765"
"5544001"
"5552925"
"5578976"
"5616864"
"5619061"
"5620933"
"5627396"
"5629565"
"5629790"
"5635638"
"5635639"
"5635640"
"5635739"
"5638946"
"5640133"
"5644177"
"5650568"
"5652374"
"5656778"
"5661592"
"5666258"
"5673139"
"5673785"
"5677823"
"5696662"
"5723894"
"5759870"
"5818683"
"5862003"
"5914553"
"6032923"
"6067183"
"6098661"
"6116517"
"6116863"
"6126140"
"6127908"
"6168395"
"6179586"
"6223088"
"6227824"
"6229683"
"6229684"
"6236491").PN. OR
("6590267").URFN.

S36	69	("4789803" "4811246" "5179499" "5536988" "5602955" "5606635" "5722989" "5867302" "5870007" "5870518" "5881198" "5962949" "6067183" "6127908" "6175443" "6222706" "6229683" "6229684" "6233088" "6236491" "6239685" "6275325" "6396677").PN. OR ("6456420").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/16 08:01
S37	331	361/277.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 08:09
S38	483	361/278.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/16 08:12
S39	2	"20030076649".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 14:05
S40	248	73/780.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/26 14:36

S41	99	("3646413" "3796976" "4141080" "4244722" "4480254" "4516091" "4554519" "4619001" "4692727" "4782313" "4849722" "4853660" "5075600" "5162977" "5164688" "5168249" "5258591" "5312790" "5367136" "5406233" "5467067" "5479042" "5504466" "5543765" "5568106" "5578976" "5587943" "5589845" "5607631" "5640042" "5640133" "5677823" "5696662" "5721194" "5770546" "5808527" "5818683" "5830591" "5834975" "5870007" "5870274" "5872489" "5880921" "5912472" "5912486" "5914553" "5925455" "5926073" "5930165" "6057520").PN. OR ("6229684").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/26 14:51
S42	523	cantilever with capacitor	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/26 14:54

S43	12	("4507705" "4571661").PN. OR ("4672849").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/26 15:00
S44	2	"20070257821".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:44
S45	2	"20040182145".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:53
S46	257	73/1.15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:55
S47	2243	324/345-364.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:55
S50	187	(S46 or S47) and electrode same capacit \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:56
S51	46	(S46 or S47) and electrode same capacit \$4 same (stress or force or weight or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:57
S52	52466	electrode same capacit \$4 same (stress or force or weight or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:58
S53	16221	electrode with capacit \$4 with (stress or force or weight or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 11:58

S54	423	electrode with capacitance with (stress or force or weight or pressure) and (deformable or elastic or flexible) with (rigid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/16 12:02
S55	374	600/373.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/17 12:05
S56	49	600/535.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/17 13:12

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((base and deformable) electrode and deformable-electrode supporter and fixed-region and mechanical deformation).clm.	US-PGPUB; USPAT; UPAD	ADJ	ON	2009/12/18 11:47

12/ 18/ 2009 11:53:35 AM

C:\Documents and Settings\cjang\My Documents\EAST\Workspaces\10-685956
Interventive Diagnostic Device.wsp